

SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

Product identifier		
Product name	Chloride Reagent	
Product number	R-0682; R-0682-PL	
Recommended use and restrictions	To be used in accordance with manufacturer instruc manufacturer.	tions or under the direct guidance of th
Manufacturer	Taylor Technologies, Inc. 31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340 Emergency phone: (800) 837-8548	
CTION 2: Hazard(s) identific	cation	
Physical hazards	Flammable liquids	Category 2
Health hazards	Eye damage/irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 1
Environmental hazards	Not currently regulated by OSHA. For additional info	ormation, refer to section 12 of the SDS
Signal word	Danger	
	-	eve irritation. Causes damage to organ
Hazard statements	Highly flammable liquid and vapor. Causes serious	eye irritation. Causes damage to organ
	Highly flammable liquid and vapor. Causes serious Keep away from heat/sparks/open flames/hot surfact closed. Ground/Bond container and receiving equipt only non-sparking tools. Take precautionary measur protective gloves/eye protection/face protection if cont thoroughly after handling. Do not breathe dust/fume outdoors or in a well-ventilated area. Do not eat, drive	ces No smoking. Keep container tight ment. Use explosion-proof equipment. res against static discharge. Wear ontact is likely to occur. Wash skin s/gas/mists/vapors/spray. Use only nk, or smoke when using this product.
Hazard statements Precautionary statements	Highly flammable liquid and vapor. Causes serious Keep away from heat/sparks/open flames/hot surfact closed. Ground/Bond container and receiving equip- only non-sparking tools. Take precautionary measure protective gloves/eye protection/face protection if con- thoroughly after handling. Do not breathe dust/fume	ces No smoking. Keep container tight ment. Use explosion-proof equipment. res against static discharge. Wear ontact is likely to occur. Wash skin s/gas/mists/vapors/spray. Use only nk, or smoke when using this product. nter. IF INHALED: Remove person to fr cian or poison center if you feel unwell. minated clothing. Rinse skin with water nutes. Remove contact lenses if preser DN PERSISTS: Get medical
Hazard statements Precautionary statements Prevention	Highly flammable liquid and vapor. Causes serious of Keep away from heat/sparks/open flames/hot surface closed. Ground/Bond container and receiving equiption only non-sparking tools. Take precautionary measure protective gloves/eye protection/face protection if cont thoroughly after handling. Do not breathe dust/fume outdoors or in a well-ventilated area. Do not eat, driv IF EXPOSED: Call a physician or poison control cer air and keep comfortable for breathing. Call a physic ON SKIN (OR HAIR): Immediately take off all contain IN EYES: Rinse cautiously with water for several mi and easy to do. Continue rinsing. IF EYE IRRITATIO advice/attention. IN CASE OF FIRE: Use alcohol-re	ces No smoking. Keep container tight ment. Use explosion-proof equipment. res against static discharge. Wear ontact is likely to occur. Wash skin s/gas/mists/vapors/spray. Use only nk, or smoke when using this product. nter. IF INHALED: Remove person to fr cian or poison center if you feel unwell. minated clothing. Rinse skin with water nutes. Remove contact lenses if preser DN PERSISTS: Get medical sistant foam, carbon dioxide, dry chem
Hazard statements Precautionary statements Prevention Response	Highly flammable liquid and vapor. Causes serious of Keep away from heat/sparks/open flames/hot surface closed. Ground/Bond container and receiving equiption only non-sparking tools. Take precautionary measure protective gloves/eye protection/face protection if cont thoroughly after handling. Do not breathe dust/fume outdoors or in a well-ventilated area. Do not eat, drive IF EXPOSED: Call a physician or poison control cer air and keep comfortable for breathing. Call a physic ON SKIN (OR HAIR): Immediately take off all contain IN EYES: Rinse cautiously with water for several mi and easy to do. Continue rinsing. IF EYE IRRITATIC advice/attention. IN CASE OF FIRE: Use alcohol-ree powder, or water fog to extinguish. Store in well-ventilated place. Keep cool. Keep tight	ces No smoking. Keep container tight ment. Use explosion-proof equipment. res against static discharge. Wear ontact is likely to occur. Wash skin s/gas/mists/vapors/spray. Use only nk, or smoke when using this product. nter. IF INHALED: Remove person to fr cian or poison center if you feel unwell. minated clothing. Rinse skin with water nutes. Remove contact lenses if preser DN PERSISTS: Get medical sistant foam, carbon dioxide, dry chem ly capped. Store out of direct sunlight

SECTION 3: Composition/information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	% w/w
Ethyl alcohol	Ethanol	64-17-5	80-100
Methyl alcohol	Methanol	67-56-1	1-5
Nonhazardous and other components below reportable	Not applicable	Not applicable	5-10

levels

SECTION 4: First-aid measures

If inhaled

Remove individual to fresh air. Seek medical advice/attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical advice/attention if irritation develops.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice/attention.

If swallowed

Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs. If symptoms persist or in all cases of concern, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	Alcohol-resistant foam, carbon dioxide, dry chemical powder, or water fog. Do not use a heavy water stream. Use of heavy stream of water may spread fire.
Specific hazards arising from the	substance or mixture
Fire hazard	Flammable liquid and vapor. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can be electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential static discharge, use proper bonding and grounding procedures. This material may be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, or mechanical/electrical equipment). Vapors are heavier than air and may spread along

		floors.
	Explosion hazard	Vapors may form explosive mixtures with air. This material may be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, or mechanical/electrical equipment). Vapors are heavier than air and may spread along floors.
	Reactivity	Hazardous reactions will not occur under normal conditions.
	Hazardous combustion products	Carbon oxides, nitrogen oxides. Other irritating fumes and smoke.
Α	dvice for firefighters Precautionary measures	Exercise caution when fighting any chemical fire; hazardous fumes will be present.
	Firefighting equipment/instructions	Use water spray or fog for cooling exposed containers.

Protection during firefightingDo not enter fire area without proper protective equipment, including respiratory protection.Other informationRefer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe dust/ fumes/ gas/ mists/ vapors/ spray. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Ventilate the contaminated area. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water to remove residual contamination. Never return spills to original containers for reuse. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Personal precautions, protective equipment, and emergency procedures

Do not handle until all safety precautions have been read and understood. Do not breathe dust/fumes/gas/mists/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Store in well-ventilated place. Keep cool. Keep tightly capped. Store out of direct sunlight between 36°F-85°F. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

Occupational exposure limits

US ACGIH Threshold Limit Values

Components		Туре	Value	
Ethyl alcohol (CAS 64-17-5)		STEL	1900 mg/m ³	
Methyl alcohol (CAS 67-56-1)		TWA	260 mg/m ³	
Methyl alcohol (CAS 67-56-1)		STEL	325 mg/m ³ (skir	n)
US NIOSH: Pocket Guide to Cher	nical Hazards			
Components		Туре	Value	
Ethyl alcohol (CAS 64-17-5)		ST	1225 mg/m ³	
Ethyl alcohol (CAS 64-17-5)		TWA	1900 mg/m ³	
Ethyl alcohol (CAS 64-17-5)		IDLH	3300 mg/m ³	
Methyl alcohol (CAS 67-56-1)		TWA	260 mg/m ³	
Methyl alcohol (CAS 67-56-1)		ST	325 mg/m ³ (skir	n)
Methyl alcohol (CAS 67-56-1)		IDLH	7860 mg/m ³	
US OSHA Table Z-1 Limits for Air	Contaminants (29 CFR 1910.1000)		
Components		Туре	Value	
Ethyl alcohol (CAS 64-17-5)		PEL	1900 mg/m ³	
Methyl alcohol (CAS 67-56-1)		PEL	260 mg/m ³	
Methyl alcohol (CAS 67-56-1)		ST	325 mg/m ³ (skir	n)
ological limit values				
ACGIH Biological Exposure Indice	S			
Components	Value	Determinant	Specimen	Sampling Time
Methyl alcohol (CAS 67-56-1)	15 mg/L	Methanol	Urine	End of shift
		ntilation (typically 10 air ch ad to conditions. If applica		

ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling Personal protective equipmentWear appropriate chemical safety goggles if contact is likely to occur.Eye/face protectionWear appropriate chemical-resistant gloves and clothing if contact is likely to occur.Skin protectionWear appropriate protective clothing if contact is likely to occur.Body protectionWear appropriate protective clothing if contact is likely to occur.Respiratory protectionIn case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Form	Liquid
Color	Purple
Odor	Alcohol
Odor threshold	No data available
рН	No data available
Evaporation rate	No data available
Melting point	No data available
Freezing point	No data available
Initial boiling point (boiling range)	172.922°F (78.29°C)
Flash point	57°F (14°C) Closed cup
Specific gravity	0.81 at 68°F (20°C)
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	Flammable
Upper Flammability Limit	UEL 19% v/v
Lower Flammability Limit	LEL 3.3% v/v
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility	Soluble in all proportions
Partition coefficient (n-octanol/water)	No data available
Viscosity	1.2 cP at 68°F (20°C)
Explosive properties	No data available
Oxidizing properties	No data available
SECTION 10: Stability and react	tivity
Reactivity	Hazardous reactions will not occur under normal conditions.
Chemical stability	Stable under recommended handling and storage conditions (refer to section 7 of the SDS).
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, sparks, open flames, and other ignition sources. Temperatures exceeding the flash point. Direct sunlight. Contact with incompatible materials. Do not use in areas without adequate ventilation.
Incompatible materials	Acetaldehyde, acids, chlorine, ethylene oxide, halogenated hydrocarbons, isocyanates, nitrites, organics, strong acids, strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products under normal conditions.

SECTION 11: Toxicological information

Information on toxicological effects

Likely routes of exposure are skin/eye contact and ingestion.

Most important

Direct skin contact may cause irritation. Symptoms may include redness and itching.

symptoms/effects, acute and delayed	Direct eye contact may cause serious irr redness, swelling, and blurred vision.	itation. Symptoms may include stinging, tearing,
	Inhalation of mists can cause respiratory include coughing and breathing difficultion	/ irritation, drowsiness, dizziness. Symptoms may es.
	Ingestion may cause gastrointestinal irrit significant quantities may result in dama	tation, nausea, vomiting, and diarrhea. Ingestion of ge to the lungs and nervous system.
	Causes damage to organs.	
Acute toxicity	This product is not classified as an acute ingredient acute toxicity data.	e toxicity hazard. See below for individual product and
Chloride Reagent (CAS Mixture)		
Acute		
Dermal		NI 17 911
LD_{50}	Mouse	No data available
Inhalation		
LC ₅₀	Rat	>20 mg/L
Oral		
LD ₅₀	Rat	>2000 mg/kg
Components	Species	Acute Toxicity Data
Methyl alcohol (CAS 67-56-1)		
Acute		
Dermal		
LD ₅₀	Mouse	No data available
Inhalation		
LC ₅₀	Rat	116 mg/L
Oral		
LD_{50}	Rat	1187 mg/kg
Skin corrosion/irritation	No data available	
Serious eye damage/eye irritation	-	
Respiratory sensitization	No data available	
Skin sensitization	No data available	
Germ cell mutagenicity	No data available	
Carcinogenicity		
IARC Monographs. Overall Eva Not regulated	luation of Carcinogenicity	
OSHA Specifically Regulated S Not regulated	ubstances (29 CFR 1910.1001-1096)	
US National Toxicology Program	m (NTP) Report on Carcinogens	
Reproductive toxicity	No data available	
Specific target organ toxicity (single exposure)	Causes damage to organs.	
Specific target organ toxicity (repeated exposure)	No data available	
Aspiration hazard	No data available	
Aspiration hazard CTION 12: Ecological inform		
		nentally hazardous.
CTION 12: Ecological inform	ation	nentally hazardous.
CTION 12: Ecological inform Ecotoxicity	ation This product is not classified as environr	nentally hazardous.

SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

DOT	
UN number	1170
UN Proper shipping name	Ethanol solution
Reportable Quantity	None
Class (Subsidiary risk)	3
Label(s)	3
Packing group	ll
Special provisions	24, IB2, IB3, T2, TP1
Packaging exceptions	4b, 150
Packaging, non-bulk	202
ΙΑΤΑ	
UN number	1170
UN Proper shipping name	Ethanol solution
Class (Subsidiary risk)	3
Packing group	II
Special provisions	A3
IMDG	
UN number	1170
UN Proper shipping name	Ethanol solution
Class (Subsidiary risk)	3
Packing group	II
Environmental hazards	
Marine pollutant	No
Special provisions	144
EmS	F-E, S-D
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex II	This substance/mixture is not intended to be transported in bulk.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

DOT hazard pictograms

IATA; IMDG hazard pictograms	

SECTION 15: Regulatory information

US federal regulations		
CERCLA Hazardous Substanc	e (40 CFR 302.4)	
Chemical name	CAS number	Reportable Quantity
Methanol	67-56-1	5000 lbs
SARA 302 Extremely Hazardou	us Substance (40 CFR 3	55 Appendices A / B)
Not regulated		

LAMMABLE

SARA 304 Emergency Release Notification

Not regulated

2AS number 34-17-5 37-56-1 2AS number 37-56-1 SCA Inventory list. a (40 CFR 707, Subpt. D) dous Air Pollutants (HAPs) 2AS number 37-56-1 SCA Inventory list. a (40 CFR 707, Subpt. D) dous Air Pollutants (HAPs) CAS number 37-56-1 Sidental Release Prevention (40 CFR 68.130) Illutants (40 CFR 401.15 and CFR 423, Appendix A) stic Enforcement Act of 1986 (California Proposition 65) CAS number
57-56-1 CAS number 57-56-1 SCA Inventory list. a (40 CFR 707, Subpt. D) dous Air Pollutants (HAPs) CAS number 57-56-1 Sidental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) stic Enforcement Act of 1986 (California Proposition 65)
CAS number 57-56-1 SCA Inventory list. a (40 CFR 707, Subpt. D) dous Air Pollutants (HAPs) CAS number 57-56-1 57-56-1 idental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) stc Enforcement Act of 1986 (California Proposition 65)
SCA Inventory list. SCA Inventory list. a (40 CFR 707, Subpt. D) dous Air Pollutants (HAPs) <u>CAS number</u> <u>57-56-1</u> Sidental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) stic Enforcement Act of 1986 (California Proposition 65)
SCA Inventory list. SCA Inventory list. a (40 CFR 707, Subpt. D) dous Air Pollutants (HAPs) <u>CAS number</u> <u>57-56-1</u> Sidental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) stic Enforcement Act of 1986 (California Proposition 65)
SCA Inventory list. a (40 CFR 707, Subpt. D) dous Air Pollutants (HAPs) <u>CAS number</u> 37-56-1 37-56-1 sidental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) sic Enforcement Act of 1986 (California Proposition 65)
SCA Inventory list. (40 CFR 707, Subpt. D) dous Air Pollutants (HAPs) <u>CAS number</u> 57-56-1 sidental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) sic Enforcement Act of 1986 (California Proposition 65)
tic Enforcement Act of 1986 (California Proposition 65)
dous Air Pollutants (HAPs) <u>CAS number</u> 57-56-1 Sidental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) sic Enforcement Act of 1986 (California Proposition 65)
CAS number 57-56-1 sidental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) sic Enforcement Act of 1986 (California Proposition 65)
CAS number 57-56-1 sidental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) sic Enforcement Act of 1986 (California Proposition 65)
CAS number 57-56-1 sidental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) sic Enforcement Act of 1986 (California Proposition 65)
57-56-1 cidental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) cic Enforcement Act of 1986 (California Proposition 65)
idental Release Prevention (40 CFR 68.130) Ilutants (40 CFR 401.15 and CFR 423, Appendix A) tic Enforcement Act of 1986 (California Proposition 65)
llutants (40 CFR 401.15 and CFR 423, Appendix A) tic Enforcement Act of 1986 (California Proposition 65)
tic Enforcement Act of 1986 (California Proposition 65)
tic Enforcement Act of 1986 (California Proposition 65)
tic Enforcement Act of 1986 (California Proposition 65)
CAS number
67-56-1 You to methanol, which is known to the State of California to cause birth defects or on go to <u>www.P65Warnings.ca.gov</u>
CAS number
67-56-1
ght-to-Know Act
CAS number
64-17-5
37-56-1
Right-to-Know Act
CAS number
64-17-5
67-56-1
CAS number
64-17-5
67-56-1
3
1 N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date:

May 2015

Last revisions

August 2018