

SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

Revision: 03/28/2024

SECTION 1: Identification

Product identifier

Product name Nitrite 150 – Reagent B

Product number R-8021B

Recommended use and

restrictions guidance of the manufacturer.

Manufacturer Taylor Water Technologies LLC

31 Loveton Circle Sparks, MD 21152

Local: (410) 472-4340 – 8am – 5pm EST Toll-free: (800) 837-8548 – 8am – 5pm EST

Emergency telephone number

CHEMTREC, United States 1-800-424-9300 – 24-hour service CHEMTREC, International +1 703-527-3887 – 24-hour service

SECTION 2: Hazard(s) Identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsSkin corrosion/irritationCategory 1AEye damage/irritationCategory 1

Environmental hazards

Label elements
Hazard pictograms

Not currently regulated by OSHA. For additional information, refer to section 12 of the SDS.

Water analysis. To be used in accordance with manufacturer instructions or under the direct



Signal word Danger

Hazard statements Causes severe skin burns and serious eye damage. May be corrosive to metals.

Precautionary statements

Prevention Do not breathe mist or vapor. Wash skin thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection. Keep only in original container.

Response IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (OR HAIR): Immediately take off all contaminated clothing. Rinse skin with water.

Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call

a physician or poison control center.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present

and easy to do. Continue rinsing. Immediately call a physician or poison control center.

Absorb spillage to prevent material damage.

Storage Store locked up. Store in corrosive-resistant container with corrosive-resistant inner liner. Keep

tightly capped. Store out of direct sunlight between 36°F-85°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazards not otherwise classified Not applicable

SECTION 3: Composition/Information on Ingredients

Mixture

MIXLUIG			
Chemical name	Common name and synonyms	CAS number	% w/w
Water	Dihydrogen oxide	7732-18-5	to 100
Sulfuric acid	Sulphuric acid; Dihydrogen sulfate	7664-93-9	10-30
Ferrous ethylenediamine sulfate tetrahydrate	Iron(II) ethylenediammonium sulfate tetrahydrate	113193-60-5	5-10

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First-Aid Measures

If inhaled

Remove individual to fresh air. Seek medical advice/attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical advice/attention if irritation develops. Chemical burns must be treated by a physician.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

If swallowed

Immediately call a physician or poison control center. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

Most important symptoms and effects, both acute and delayed

Direct skin or eye contact may cause corrosive burns. Symptoms may include pain, redness or swelling. Scarring or permanent damage, including blindness, could result. Inhalation may cause severe respiratory irritation, such as coughing and wheezing. Inhalation could result in pulmonary edema, symptoms—chest pain, shortness of breath—may be delayed. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations, and bleeding.

Refer to section 11 of the SDS for delayed and immediate effects and chronic effects from short- and long-term exposure.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep person under observation. Symptoms may be delayed.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting Measures

Extinguishing media

Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Specific hazards arising from the substance or mixture

Fire hazard Not flammable Explosion hazard Not explosive

Reactivity May be corrosive to metals

Hazardous combustion products Carbon oxides, iron oxides, nitrogen oxides, sulfur oxides.

Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting equipment/instructions

Use water spray or fog for cooling exposed containers.

Protection during firefighting

Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if

significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Ventilate the area. Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water to remove residual contamination. Never return spills to original containers for reuse. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and Storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in corrosive-resistant container with corrosive-resistant inner liner. Keep tightly capped. Store out of direct sunlight between 36°F–85°F. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure Controls/Personal Protection

Occupational exposure limits

US ACGIH Threshold Limit Values

Components	<u>1 ype</u>	<u>value</u>
Sulfuric acid (CAS 7664-93-9)	TWA	0.2 mg/m³ (thoracic particulate)
US NIOSH: Pocket Guide to Chemical Hazar	rds	
Components	Туре	Value
Sulfuric acid (CAS 7664-93-9)	TWA	1 mg/m³
	IDLH	15 mg/m³
US OSHA Table Z-1 Limits for Air Contamina	ants (29 CFR 1910.1000)	
Components	Туре	Value
Sulfuric acid (CAS 7664-93-9)	TWA	1 mg/m³

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure controls

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling

this product.

Personal protective equipment

Eye/face protection Wear appropriate chemical safety goggles.

Skin protection Wear appropriate chemical-resistant gloves and clothing. Gloves must be inspected prior to

use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin

contact with this product.

Body protection Wear appropriate protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the

exposure limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Color Clear, colorless Odor Odorless

Odor threshold No data available

рΗ <1

Evaporation rate No data available Melting point No data available Freezing point No data available Initial boiling point (boiling range) No data available Flash point No data available Specific gravity No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Upper Flammability Limit No data available Lower Flammability Limit No data available Vapor pressure No data available Vapor density No data available Solubility No data available Partition coefficient No data available

(n-octanol/water)

Viscosity No data available Explosive properties No data available Oxidizing properties No data available

SECTION 10: Stability and Reactivity

Reactivity May be corrosive to metals.

Chemical stability Stable under recommended handling and storage conditions (refer to section 7 of the SDS).

Possibility of hazardous

Conditions to avoid

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Do not use in areas without adequate ventilation. Incompatible materials Bases, strong oxidizing agents, strong reducing agents, metals, interhalogens, organic

material.

Hazardous decomposition

products

No hazardous decomposition products under normal conditions.

SECTION 11: Toxicological Information

Information on likely routes of exposure

Inhalation Avoid inhalation of this product. Use in a well-ventilated area. Skin contact Protect exposed skin from contact. Use caution to avoid splashes.

Eye contact Avoid close eye contact; use caution to avoid splashes. Wear eye protection.

Ingestion Avoid accidental ingestion by observing good hygiene practices. Wash hands thoroughly after

handling this product.

Symptoms related to the physical, chemical, and toxicological characteristics Causes corrosive skin and eye damage. Refer to section 4 of the SDS for most important

symptoms and effects.

Delayed and immediate effects and chronic effects from short- and long-term exposure

Acute toxicity This product is not classified as an acute toxicity hazard. See below for product and individual

ingredient acute toxicity data.

Product acute toxicity estimate (ATE)

ATEmix (Oral) > 2000 mg/L**ATEmix (Dermal)** No data available ATEmix (Inhalation) No data available Component(s) **Species** Acute toxicity data

Sulfuric acid (CAS 7664-93-9)

LD50 (Oral) Rat 2140 mg/kg LD50 (Dermal) Rabbit No data available LC50 (Inhalation) Rat No data available

Ferrous ethylenediamine sulfate tetrahydrate (CAS 113193-60-5)

LD50 (Oral) Rat No data available LD50 (Dermal) Rabbit No data available LC50 (Inhalation) Rat No data available

Skin corrosion/irritation Causes severe skin burns. Serious eye damage/eye irritation Causes serious eye damage.

Respiratory sensitization No data available Skin sensitization No data available Germ cell mutagenicity No data available

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not classified

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

Not regulated

US National Toxicology Program (NTP) Report on Carcinogens

Strong Inorganic Acid Mists Containing Sulfuric Acid (7664-93-9), known to be human carcinogens

Reproductive toxicity No data available Specific target organ toxicity No data available

(single exposure)

Specific target organ toxicity

(repeated exposure)

No data available

Aspiration hazard No data available

SECTION 12: Ecological Information

Ecotoxicity This product is not classified as environmentally hazardous.

Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available

Other adverse effects Large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal Considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport Information

DOT

UN number UN2796

UN Proper shipping name Sulphuric acid solution Reportable Quantity 1000 lbs, Sulfuric acid

Class (Subsidiary risk) 8 8 Label(s) Ш Packing group

Special provisions 386, A3, A7, B2, B15, IB2, N6, N34, T8, TP2

Packaging exceptions 154 Packaging, non-bulk 202 IATA

UN number UN2796

UN Proper shipping name Sulphuric acid solution

Class (Subsidiary risk) Packing group Ш **Special provisions** None

IMDG

UN number UN2796

UN Proper shipping name Sulphuric acid solution

Class (Subsidiary risk) 8 **Packing group** Ш

Environmental hazards

No Marine pollutant Special provisions None F-A. S-B

Special precautions for user Read safety instructions, SDS, and emergency procedures before handling.

This substance/mixture is not intended to be transported in bulk.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT hazard pictograms



IATA; IMDG hazard pictograms



SECTION 15: Regulatory Information

US federal regulations

CERCLA Hazardous Substance (40 CFR 302.4)

Chemical name CAS number **Reportable Quantity**

Sulfuric acid 7664-93-9 1000 lbs

SARA 302 Extremely Hazardous Substance (40 CFR 355 Appendices A / B)

Chemical name CAS number Sulfuric acid 7664-93-9

SARA 304 Emergency Release Notification

Chemical name CAS number 7664-93-9 Sulfuric acid

SARA 311/312 Hazardous Chemical

Chemical name CAS number Sulfuric acid 7664-93-9 Ferrous ethylenediamine sulfate 113193-60-5

tetrahydrate

SARA 313 (TRI reporting)

Not regulated

TSCA Section 8(b) Chemical Inventory

All components are on the U.S. EPA TSCA Inventory list.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs)

Not regulated

Clean Air Act (CAA) Section 112® Accidental Release Prevention (40 CFR 68.130)

Not regulated

Clean Water Act, Toxic and Priority Pollutants (40 CFR 401.15 and CFR 423, Appendix A)

Not regulated

Safe Drinking Water Act (SDWA)

Not regulated

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (California Proposition 65)

Not regulated

Massachusetts Right-to-Know Act

Chemical name	CAS number
Sulfuric acid	7664-93-9
New Jersey Worker and Commun	nity Right-to-Know Act
Chemical name	CAS number
Sulfuric acid	7664-93-9
Pennsylvania Worker and Commi	unity Right-to-Know Act
Chemical name	CAS number
Sulfuric acid	7664-93-9
Rhode Island Right-to-Know Act	
Chemical name	CAS number

7664-93-9

SECTION 16: Other Information

NFPA Rating

Sulfuric acid

Health hazard 3
Fire hazard 0
Reactivity 1
Specific N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Water Technologies LLC disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Water Technologies LLC. The information contained in this sheet is based on lab experience and the most current data available.

Issue date:

May 2015

Revision date:

03/28/2024

Revision information:

Identification: Manufacturer information and emergency phone number First-aid: Most important symptoms and effects, both acute and delayed Toxicological Information: Information on likely routes of exposure

Supersedes revision dated March 2020.