

# SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

Revision: 04/09/2021

### SECTION 1: Identification

**Product identifier** 

Product name Aluminum Buffer

Product number R-0936

Recommended use and

restrictions manufacturer.

To be used in accordance with manufacturer instructions or under the direct guidance of the

Manufacturer Taylor Technologies, Inc.

31 Loveton Circle Sparks, MD 21152

Local: (410) 472-4340 - 8am - 5pm EST Toll-free: (800) 837-8548 - 8am - 5pm EST

**Emergency phone number** 

CHEMTREC, United States 1-800-424-9300 - 24-hour service CHEMTREC, International +1 703-741-5970 - 24-hour service

## SECTION 2: Hazard(s) Identification

Physical hazards Not applicable Health hazards Not applicable

**Environmental hazards** Not currently regulated by OSHA. For additional information, refer to section 12 of the SDS.

Label elements

Hazard pictograms Not applicable Signal word Not applicable Not applicable Hazard statements

Precautionary statements

Prevention Avoid contact with skin, eyes, or clothing. For contact with skin or eyes, flush 20 minutes with

water. If ingested, contact physician or local poison control center, Treat symptoms as needed.

This reagent is not defined as a hazardous chemical per OSHA's Hazard Communication Response

Standard 2012; however, use care when handling.

Storage Keep tightly capped. Store out of direct sunlight between 36°F-85°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazards not otherwise classified Not applicable

## SECTION 3: Composition/Information on Ingredients

## **Mixture**

Chemical name	Common name and synonyms	CAS number	% w/w
Water	Dihydrogen oxide	7732-18-5	80-100
Acetic acid	Glacial acetic acid	64-19-7	1-5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### SECTION 4: First-Aid Measures

## If inhaled

Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

### In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical attention if irritation develops.

### In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice.

SDS US Aluminum Buffer - R-0936

#### If swallowed

Immediately call a physician or poison control center. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

#### Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

#### Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

#### **General information**

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

## SECTION 5: Firefighting Measures

Extinguishing media

Suitable extinguishing media Alcohol-resistant foam, carbon dioxide, dry chemical powder, or water fog.

Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### Specific hazards arising from the substance or mixture

Fire hazard Not flammable Explosion hazard Not explosive

Reactivity Hazardous reactions will not occur under normal conditions.

Hazardous combustion products Carbon oxides, Sodium oxides. Other irritating fumes and smoke

Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting Use water spray or fog for cooling exposed containers.

equipment/instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

## SECTION 6: Accidental Release Measures

### Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe dust/fumes/gas/mist/vapors/spray. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

### **Environmental precautions**

Avoid discharge into drains, watercourses, or onto the ground.

### Methods and material for containment and cleaning up

Ventilate the area. Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water to remove residual contamination. Never return spills to original containers for reuse. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of large spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

### Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

### SECTION 7: Handling and Storage

#### Personal precautions, protective equipment, and emergency procedures

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fumes/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

### Conditions for safe storage, including any incompatibilities

Keep tightly capped. Store out of direct sunlight between 36°F- 85°F. Store away from incompatible materials (refer to section 10 of the SDS).

Aluminum Buffer – R-0936
Page 2 of 6

## SECTION 8: Exposure Controls/Personal Protection

### Occupational exposure limits

#### **US ACGIH Threshold Limit Values**

Components	Туре	Value	
Acetic acid (CAS 64-19-7)	STEL	37 mg/m <sup>3</sup>	
	TWA	25 mg/m <sup>3</sup>	

#### **US NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	
Acetic acid (CAS 64-19-7)	STEL	37 mg/m <sup>3</sup>	
	TWA	25 ma/m³	

### US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Acetic acid (CAS 64-19-7)	TWA	25 mg/m <sup>3</sup>

#### **Biological limit values**

No biological exposure limits noted for the ingredient(s).

#### **Exposure controls**

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

> should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling

this product.

Personal protective equipment

Eye/face protection Wear appropriate chemical safety goggles if contact is likely to occur.

Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur. Skin protection

Body protection Wear appropriate protective clothing if contact is likely to occur.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the

exposure limits. Advice should be sought from respiratory protection suppliers.

### SECTION 9: Physical and Chemical Properties

### Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Clear, colorless Color

Odor Pungent

Odor threshold No data available

Ηq

Vapor density

Relative density

Evaporation rate No data available Melting point No data available Freezing point No data available Initial boiling point (boiling range) No data available Flash point No data available Specific gravity No data available No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Upper Flammability Limit No data available Lower Flammability Limit No data available Vapor pressure No data available

Aluminum Buffer - R-0936 Page 3 of 6

No data available

No data available

Solubility Soluble in all proportions

Partition coefficient

(n-octanol/water)

No data available

Viscosity No data available Explosive properties No data available Oxidizing properties No data available

## SECTION 10: Stability and Reactivity

Reactivity Hazardous reactions will not occur under normal conditions.

Stable under recommended handling and storage conditions (refer to section 7 of the SDS). Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Do not use in areas without adequate ventilation.

Strong oxidizing agents. Incompatible materials

**Hazardous decomposition** 

products

No hazardous decomposition products under normal conditions.

## **SECTION** 11: Toxicological Information

### Information on toxicological effects

Likely routes of exposure are skin/eye contact and ingestion.

Most important

symptoms/effects, acute and

delayed

Direct skin contact may cause irritation. Symptoms may include redness and itching. Direct eye contact may cause serious irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

Inhalation of mists can cause respiratory irritation. Symptoms may include coughing and

breathing difficulties.

Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Acute toxicity This product is not classified as an acute toxicity hazard.

Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory sensitization No data available Skin sensitization No data available Germ cell mutagenicity No data available

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not classifiable

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

No data available

**US National Toxicology Program (NTP) Report on Carcinogens** 

No data available

Reproductive toxicity No data available Specific target organ toxicity No data available

(single exposure)

Specific target organ toxicity

(repeated exposure)

No data available

No data available Aspiration hazard

### SECTION 12: Ecological Information

**Ecotoxicity** No data available. Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available

Other adverse effects Large or frequent spills can have a harmful or damaging effect on the environment.

## SECTION 13: Disposal Considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product

SDS US Aluminum Buffer - R-0936

residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

## SECTION 14: Transport Information

DOT Not regulated as dangerous goods **IATA** Not regulated as dangerous goods **IMDG** Not regulated as dangerous goods

## SECTION 15: Regulatory Information

#### **US** federal regulations

**CERCLA Hazardous Substance (40 CFR 302.4)** 

**Chemical name CAS** number **Reportable Quantity** 64-19-7 Acetic acid 5000 lbs

SARA 302 Extremely Hazardous Substance (40 CFR 355 Appendices A / B)

Not regulated

#### **SARA 304 Emergency Release Notification**

Not regulated

### SARA 311/312 Hazardous Chemical

Chemical name CAS number 64-19-7 Acetic acid

#### SARA 313 (TRI reporting)

Not regulated

### TSCA Section 8(b) Chemical Inventory

All components are on the U.S. EPA TSCA Inventory list.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs)

Not regulated

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated

### Clean Water Act, Toxic and Priority Pollutants (40 CFR 401.15 and CFR 423, Appendix A)

Not regulated

### Safe Drinking Water Act (SDWA)

Not regulated

#### US state regulations

### California Safe Drinking Water and Toxic Enforcement Act of 1986 (California Proposition 65)

Not regulated

### Massachusetts Right-to-Know Act

**Chemical name CAS** number Acetic acid 64-19-7 **New Jersey Worker and Community Right-to-Know Act Chemical name CAS** number 64-19-7 Acetic acid Pennsylvania Worker and Community Right-to-Know Act

**Chemical name CAS** number Acetic acid 64-19-7

Aluminum Buffer - R-0936 Page 5 of 6

## **Rhode Island Right-to-Know Act**

Chemical name CAS number

Acetic acid 64-19-7

## SECTION 16: Other Information

## **NFPA Rating**

Health hazard 1
Fire hazard 0
Reactivity 0
Specific N/A

#### Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

#### Issue date:

May 2015

#### **Revision date:**

04/09/2021

#### **Revision information:**

This document embodies significant change(s) that may impact classification, safe handling, or health information for the associated product(s). The information contained herein should be reviewed in its entirety before handling material.

Aluminum Buffer – R-0936